











<p>1</p> 	<p>017935000 35 Ø + adapter 45 Ø, accessory set / kit d'accessoires / hulpstukken set / Zubehörsatz</p> <ul style="list-style-type: none"> - 015421000 adaptor coupling, F45 - FC35 - 019334000 suction hose, pvc, black, antistatic, Ø 38 mm, length: 4 m, cpl. with curved tube MC35 - 018100000 suction tube, steel, chromed, Ø 35, length: 2 x 500 mm, FC - MC - 017100000 wheeled floor nozzle, FC 35 - 017112000 crevice nozzle, PVC, 27 x 10 mm, FC35 - 017118000 brush, PVC, width: 75 mm, FC35 	<p>B190 / B191 / B192 Ø 45</p>
<p>2</p> 	<p>017945000 45 Ø accessory set / kit d'accessoires / hulpstukken set / Zubehörsatz</p> <ul style="list-style-type: none"> - 019434000 suction hose, pvc, black, antistatic, Ø 45 mm, length: 4 m, F45 - M45 - 015400000 transition coupling, F45 - MC45 - 018400000 suction tube, aluminium, curved, Ø 45 mm, length: 1350 mm, FC45 - MC45 - 017400000 wheeled floor nozzle, FC45 - 017413000 nozzle, rubber, conical, FC45, Ø 10-25 mm - 017121000 brush, wood, FC45, Ø 100 mm 	<p>B190 / B191 / B192 Ø 45</p>
<p>3</p> 	<p>017946000 45 Ø + adapter 60 Ø, accessory set / kit d'accessoires / hulpstukken set / Zubehörsatz</p> <ul style="list-style-type: none"> - 015720000 adapter coupling, F60 - M45 - 019434000 suction hose, pvc, black, antistatic, Ø 45 mm, length: 4 m, F45 - M45 - 015400000 transition coupling, F45 - MC45 - 018400000 suction tube, aluminium, curved, Ø 45 mm, length: 1350 mm, FC45 - MC45 - 017400000 wheeled floor nozzle, FC45 - 017413000 nozzle, rubber, conical, FC45, Ø 10-25 mm - 017121000 brush, wood, Ø 100 mm, FC45 	<p>C192 / C193 / C335 / KE / KF / KD / KG / KS / KV Ø 60</p>
<p>4</p> 	<p>017960000 60 Ø accessory set / kit d'accessoires / hulpstukken set / Zubehörsatz</p> <ul style="list-style-type: none"> - 019734000 suction hose, pvc, black, antistatic, Ø 60 mm, length: 4 m, F60 - M60 - 015700000 transition coupling, F60 - MC60 - 018700000 suction tube, aluminium, curved, Ø 60 mm, length: 1350 mm, FC60 - MC60 - 017710000 wheeled floor nozzle, FC60, aluminium, heavy duty - 017715000 crevice nozzle, steel, 120 x 25 mm, FC60 	<p>C192 / C193 / C335 / KE / KF / KD / KG / KS / KV Ø 60</p>
<p>5</p> 	<p>017947000 45 Ø accessory set / kit d'accessoires / hulpstukken set / Zubehörsatz</p> <ul style="list-style-type: none"> - 019454000 suction hose, PU, antistatic, Ø 45 mm, length: 4 m, F45 - M45 - 018400000 suction tube, aluminium, curved, Ø 45 mm, length: 1350 mm, FC45 - MC45 - 015400000 transition coupling, F45 - MC45 - 017410000 wheeled floor nozzle, FC45, aluminium, heavy duty - 017415000 crevice nozzle, steel, 100 x 20 mm, FC45 - 017419000 elbow, silumin, F45 - MC45 - 017318000 brush, pvc, Ø 100 mm, FC45 	<p>W 192 wet & swarf / liquide & copeaux métalliques / nat & spanen / Naß & Späne Ø 45</p>
<p>6</p> 	<p>017948000 45 Ø + adapter 60 Ø, accessory set / kit d'accessoires / hulpstukken set / Zubehörsatz</p> <ul style="list-style-type: none"> - 015720000 adapter coupling, F60 - M45 - 019454000 suction hose, PU, antistatic, Ø 45 mm, length: 4 m, F45 - M45 - 018400000 suction tube, aluminium, curved, Ø 45 mm, length: 1350 mm, FC45 - MC45 - 015400000 transition coupling, F45 - MC45 - 017410000 wheeled floor nozzle, FC45, aluminium, heavy duty - 017415000 crevice nozzle, steel, 100 x 20 mm, FC45 - 017419000 elbow, silumin, F45 - MC45 - 017318000 brush, pvc, Ø 100 mm, FC45 	<p>KW / CS501 / CS502 wet & swarf / liquide & copeaux métalliques / nat & spanen / Naß & Späne Ø 60</p>
<p>7</p> 	<p>017961000 60 Ø accessory set / kit d'accessoires / hulpstukken set / Zubehörsatz</p> <ul style="list-style-type: none"> - 019754000 suction hose, PU, antistatic, Ø 60 mm, length: 4 m, F60 - M60 - 015700000 transition coupling, F60 - MC60 - 018700000 suction tube, aluminium, curved, Ø 60 mm, length: 1350 mm, FC60 - MC60 - 017710000 wheeled floor nozzle, FC60, aluminium, heavy duty - 017715000 crevice nozzle, steel, 120 x 25 mm, FC60 	<p>KW / CS501 / CS502 wet & swarf / liquide & copeaux métalliques / nat & spanen / Naß & Späne Ø 60</p>
<p>8</p> 	<p>017950000 Atex II-3-D / Atex II-3-G 50 mm Ø B1 accessory set / kit d'accessoires / hulpstukken set / Zubehörsatz</p> <ul style="list-style-type: none"> - 019444000 suction hose, pvc, black, antistatic, Ø 50 mm, length: 4 m, F50 - M50 - 015410000 transition coupling, F50 - MC50 - 018444000 suction tube, straight, steel, Ø 50 mm, length: 500 mm (2x) - 018445000 suction tube, curved, steel, Ø 50 mm, length: 500 mm - 017444000 wheeled floor nozzle, FC50, aluminium, heavy duty - 017489000 nozzle, rubber, conical, FC50, Ø 10-25 mm - 017417000 brush, wood, Ø 100 mm, FC50 	<p>KE / KF Ø 50 - B1</p>
<p>9</p> 	<p>017951000 Atex II-3-D / Atex II-3-G 50 mm Ø B1 + adapter 60 Ø mm B1, accessory set / kit d'accessoires / hulpstukken set / Zubehörsatz</p> <ul style="list-style-type: none"> - 015929000 adaptor coupling, W60-B1 - M50-B1 - 019444000 suction hose, pvc, black, antistatic, Ø 50 mm, length: 4 m, F50 - M50 - 015410000 transition coupling, F50 - MC50 - 018444000 suction tube, straight, steel, Ø 50 mm, length: 500 mm (2x) - 018445000 suction tube, curved, steel, Ø 50 mm, length: 500 mm - 017444000 wheeled floor nozzle, FC50, aluminium, heavy duty - 017489000 nozzle, rubber, conical, FC50, Ø 10-25 mm - 017417000 brush, wood, Ø 100 mm, FC50 	<p>KF / KD / KG / KS / KV Ø 60 - B1</p>





Kiekens accessories / accessoires / Zubehör



example
exemple
voorbeeld
Beispiel

- A** no. 19 : adapter coupling female-male / réduction femme - mâle / verloopkoppeling vrouw - man / Übergangskupplung Weiblich - Männlich
- B** no. 14 : hose coupling female / tuyau raccord femme / slangkoppeling vrouw / Schlauchkupplung Weiblich
- C** no. 10,11,12,13: flexible hose / flexible tuyau / flexibel slang / Flexibel Schlauch
- D** no. 15 : hose coupling male / tuyau raccord mâle / slangkoppeling man / Schlauchkupplung Männlich
- E** no. 10,11,12,13: flexible hose with coupling male-female / flexible tuyau avec raccord mâle-femme / flexibel slang v.v. koppeling man-vrouw / Flexibel Schlauch mit Kupplung Männlich-Weiblich
- F** no. 24 : transition coupling, female - conical / accouplement de conversion, femme-conique / overgangskoppeling, vrouw - conisch / Übergangskupplung, Weiblich - Konisch
- G** no. 38 : suction tube, aluminium, FC-MC / tube coude aluminium, FC-MC / zuigbuis, VC-MC / Saugrohr, WK-MK
- H** no. 25 : wheeled floor nozzle / suceur sur roulettes / voerzuigmond op wielen / Bodensaugdüse mit Rädern

10		Ø 35 mm	Ø 45 mm	Ø 60 mm	Ø 80 mm	Ø 50 mm B1	Ø 60 mm B1	Ø 80 mm B1	
- hose - tuyau - slang - Schlauch									
suction hose / antistatic / polyethylene / per meter		019100000	019330000	019430000	019730000	019430000	019730000		
suction hose / antistatic / polyethylene / 4 meter + coupling male / female			019434000	019734000		019444000	019744000		
max 20 meter									
hose-clamp			041212000	033013000	041146000	041212000	033013000	041146000	
shrinkable cuff, length 90 mm (056113000 reach 70-25mm / 056114000 reach 90-30mm)			056113000	056114000	056114000	056113000	056114000	056114000	
11		Ø 35 mm	Ø 38 mm	Ø 45 mm	Ø 60 mm	Ø 80 mm	Ø 50 mm B1	Ø 60 mm B1	Ø 80 mm B1
- hose - tuyau - slang - Schlauch									
suction hose / antistatic / polyurethane / heavy duty / per meter			019451000	019751000	019851000 black	019451000	019751000	019851000 black	
suction hose / antistatic / polyurethane / heavy duty / 4 meter + coupling male / female			019454000	019754000					
max 20 meter									
hose-clamp			041212000	033013000	041146000	041212000	033013000	041146000	
shrinkable cuff, length 90 mm (056113000 reach 70-25mm / 056114000 reach 90-30mm)			056113000	056114000	056114000	056113000	056114000	056114000	
12		Ø 35 mm	Ø 45 mm	Ø 60 mm	Ø 80 mm	Ø 50 mm B1	Ø 60 mm B1	Ø 80 mm B1	
- hose - tuyau - slang - Schlauch									
suction hose / antistatic / vinyl / heavy duty / per meter (multiple 2 meter)			019500000	019800000		019500000	019800000		
suction hose / antistatic / vinyl / heavy duty / 2 meter + coupling male / female				019802000					
suction hose / antistatic / vinyl / heavy duty / 4 meter + coupling male / female			019504000	019804000					
max 16 meter									
hose-clamp			041212000	033013000	041146000	041212000	033013000	041146000	
shrinkable cuff, length 90 mm (056113000 reach 70-25mm / 056114000 reach 90-30mm)			056113000	056114000	056114000	056113000	056114000	056114000	
13		Ø 35 mm	Ø 45 mm	Ø 60 mm	Ø 80 mm	Ø 50 mm B1	Ø 60 mm B1	Ø 80 mm B1	
- hose - tuyau - slang - Schlauch									
suction hose / antistatic / rubber / heavy duty / per meter (multiple 2 meter)			039400000	039600000	039800000	039400000	039600000	039800000	
suction hose / antistatic / rubber / heavy duty / 2 meter + coupling male / female				039602001	039802001				
suction hose / antistatic / rubber / heavy duty / 4 meter + coupling male / female			039404001	039604001	039804001	039444000	039644000		
max 8 meter									
hose-clamp			041212000	033013000	041146000	041212000	033013000	041146000	
shrinkable cuff, length 90 mm (056113000 reach 70-25mm / 056114000 reach 90-30mm)			056113000	056114000	056114000	056113000	056114000	056114000	
14		Ø 35 mm	Ø 45 mm	Ø 60 mm	Ø 80 mm	Ø 50 mm B1	Ø 60 mm B1	Ø 80 mm B1	
- hose coupling female									

<ul style="list-style-type: none"> - tuyau raccord femme - slangkoppeling vrouw - Schlauchkupplung Weiblich 		015403000	015703000	015903000	015452000	015752000	015913000		
15		Ø 35 mm	Ø 45 mm	Ø 60 mm	Ø 80 mm	Ø 50 mm B1	Ø 60 mm B1	Ø 80 mm B1	
<ul style="list-style-type: none"> - hose coupling male - tuyau raccord mâle - slangkoppeling man - Schlauchkupplung Männlich 		015503000	015803000	015953000	015501000	015801000	015959000		
16		Ø 35 mm	Ø 45 mm	Ø 60 mm	Ø 80 mm	Ø 50 mm B1	Ø 60 mm B1	Ø 80 mm B1	
<ul style="list-style-type: none"> - hose coupling male - tuyau raccord mâle - slangkoppeling man - Schlauchkupplung Männlich 									
hose coupling, male 60 - hose 45 for connecting Ø 45 mm hose into central system Ø 60		015819000	015819000						
17		Ø 35 mm	Ø 45 mm	Ø 60 mm	Ø 80 mm	Ø 50 mm B1	Ø 60 mm B1	Ø 80 mm B1	
<ul style="list-style-type: none"> - hose coupling M45-38 Ø hose - tuyau raccord M45-38 Ø tuyau - slangkoppeling M45-38 Ø slang - Schlauchkupplung M45-38 Ø Schlauch 		015505000							
18		Ø 35 mm	Ø 38 mm	Ø 45 mm	Ø 60 mm	Ø 80 mm	Ø 50 mm B1	Ø 60 mm B1	Ø 80 mm B1
<ul style="list-style-type: none"> - suction tube, steel male conical 35 mm - tube, acier mâle conique 35 mm - slangpijp, staal man conisch 35 mm - Schlauchrohr, Stahl, Männlich Konisch 35 mm 									
suction tube, steel, male conicle 35 with cuff for hose Ø 35 mm		018106000							
suction tube, steel, male conicle 35 with revolving cuff for hose Ø 38 mm		018104001							
19		Ø 35 mm	Ø 38 mm	Ø 45 mm	Ø 60 mm	Ø 80 mm	Ø 50 mm B1	Ø 60 mm B1	Ø 80 mm B1
<ul style="list-style-type: none"> - adapter coupling female - male - réduction femme - mâle - verloopkoppeling vrouw - man - Übergangskupplung Weiblich - Männlich 									
adapter coupling, female Ø 60 mm - male Ø 45 mm		015720000	015720000						
adapter coupling, female Ø 80 mm - male Ø 60 mm			015920000	015920000					
adapter coupling, female Ø 60 mm - male Ø 50 mm					015929000	015929000			
20		Ø 35 mm	Ø 45 mm	Ø 60 mm	Ø 80 mm	Ø 50 mm B1	Ø 60 mm B1	Ø 80 mm B1	
<ul style="list-style-type: none"> - adapter coupling male - male - réduction mâle - mâle - verloopkoppeling man - man - Übergangskupplung Männlich - Männlich 									
adapter coupling, male Ø 60 mm - male Ø 45 mm		015821000	015821000						
21		Ø 35 mm	Ø 45 mm	Ø 60 mm	Ø 80 mm	Ø 50 mm B1	Ø 60 mm B1	Ø 80 mm B1	
<ul style="list-style-type: none"> - adapter coupling male - female - réduction mâle - femme - verloopkoppeling man - vrouw - Übergangskupplung Männlich - Weiblich 									
adapter coupling, male Ø 60 mm - female Ø 45 mm		015820000	015820000						
adapter coupling, male Ø 80 mm - female Ø 60 mm			015921000	015921000					
22		Ø 35 mm	Ø 45 mm	Ø 60 mm	Ø 80 mm	Ø 50 mm B1	Ø 60 mm B1	Ø 80 mm B1	
<ul style="list-style-type: none"> - coupling male - male - raccord mâle - mâle - koppeling man - man - Kupplung Männlich - Männlich 									
coupling male Ø 45 mm - male Ø 45 mm		015504000							
coupling male Ø 60 mm - male Ø 60 mm			015804000						
23		Ø 35 mm	Ø 45 mm	Ø 60 mm	Ø 80 mm	Ø 50 mm B1	Ø 60 mm B1	Ø 80 mm B1	
<ul style="list-style-type: none"> - coupling female - female - raccord femme - femme - koppeling vrouw - vrouw - Kupplung Weiblich - Weiblich 									
coupling female Ø 45 mm - female Ø 45 mm		015406000							
24		Ø 35 mm	Ø 45 mm	Ø 60 mm	Ø 80 mm	Ø 50 mm B1	Ø 60 mm B1	Ø 80 mm B1	
<ul style="list-style-type: none"> - transition coupling, female - conical - accouplement de conversion, femme-conique - overgangskoppeling, vrouw - conisch - Übergangskupplung, Weiblich - Konisch 									
transition coupling for connecting accessories as nozzles & suction tubes to male couplings		015400000	015700000			015410000			
25		Ø 35 mm	Ø 45 mm	Ø 60 mm	Ø 80 mm	Ø 50 mm B1	Ø 60 mm B1	Ø 80 mm B1	
<ul style="list-style-type: none"> - wheeled floornozzle, female conical - suceur sur roulettes, femme conique - vloerzuigmond op wielen, vrouw conisch - Bodensaugdüse mit Rädern, Weiblich Konisch 									
wheeled floornozzle, width 450 mm, female conical		017100000	017400000						
wheeled floornozzle, width 500 mm, heavy duty, female conical			017410000	017710000		017440000			
spare: set of rubber inserts, 450 mm	a	017001000	017001000						
spare: set of rubber inserts, 500 mm	b		017006000	017006000		017006000			
spare: set of oil resistant rubber inserts, 500 mm	b		017016000	017016000		017016000			
spare: set of brush inserts, 450 mm	a	017002000	017002000						
spare: set of brush inserts, 500 mm	b		017007000	017007000		017007000			

- brush, PVC, width: 75 mm., female conical 35 mm
- brosse Rectangulaire, largeur 75 mm, femme conical 35 mm
- borstel kunststof, breed 75 mm, vrouw konisch 35 mm
- Bürste, Kunststoff, Breite 75 mm, Weiblich Konisch 35 mm



brush, PVC, width: 75 mm., female conical 35 mm

017118000

37		Ø 35 mm	Ø 45 mm	Ø 60 mm	Ø 80 mm	Ø 50 mm B1		Ø 60 mm B1		Ø 80 mm B1
----	--	---------	---------	---------	---------	------------	--	------------	--	------------

- brush, PVC, length 230 mm, female conical 35 mm
- brosse a main PVC, longueur 230 mm, femme conique 35 mm
- borstel kunststof, lengte 230 mm, vrouw conisch 35 mm
- Bürste, Kunststoff, Länge 230 mm, Weiblich Konisch 35 mm



brush, PVC, length: 230 mm, female conical 35 mm

017117000

38			Ø 45 mm	Ø 60 mm	Ø 80 mm	Ø 50 mm B1		Ø 60 mm B1		Ø 80 mm B1
----	--	--	---------	---------	---------	------------	--	------------	--	------------

- suction tube, aluminium, curved, length 1350 mm, FC-MC
- tube coude alum, courbé, longueur 1350 mm, FC-MC
- zuigbuis aluminium, gebogen, lengte 1350 mm, VC-MC
- Saugrohr, Aluminium, gebogen, Länge 1350 mm, W C-MC



suction tube, aluminium, curved, length 1350 mm, female conical - male conical

018400000

018700000

transition coupling for connecting accessories as nozzles & suction tubes to male couplings

015400000

015700000

39			Ø 45 mm	Ø 60 mm	Ø 80 mm	Ø 50 mm B1		Ø 60 mm B1		Ø 80 mm B1
----	--	--	---------	---------	---------	------------	--	------------	--	------------

- suction tube, steel, curved, length 1250 mm, F-MC
- tube coude acier, courbé, longueur 1250 mm, F-MC
- zuigbuis, staal, gebogen, lengte 1250 mm, V-MC
- Saugrohr, Stahl, L444gebogen, Länge 1250 mm, W-MC



suction tube, steel, curved, grey painted, length 1250 mm, female - male conical

018401000

40			Ø 45 mm	Ø 60 mm	Ø 80 mm	Ø 50 mm B1		Ø 60 mm B1		Ø 80 mm B1
----	--	--	---------	---------	---------	------------	--	------------	--	------------

- suction tube, steel, chromed, curved, length 1200 mm, FC-MC
- tube coude acier, chrom, courbé, longueur 1200 mm, FC-MC
- zuigbuis, staal, verchromd, gebogen, lengte 1200 mm, VC-MC
- Saugrohr, Stahl, verchromt, gebogen, Länge 1200 mm, W C-MC



suction tube, steel, chromed, curved, length 1165 mm, female conical - male conical


018447000

transition coupling for connecting accessories as nozzles & suction tubes to male couplings

015410000

41			Ø 45 mm	Ø 60 mm	Ø 80 mm	Ø 50 mm B1		Ø 60 mm B1		Ø 80 mm B1
----	--	--	---------	---------	---------	------------	--	------------	--	------------

- suction tube, steel, chromed, length 500 mm, FC-MC
- tube coude acier, chrom, longueur 500 mm, FC-MC
- zuigbuis, staal, verchromd, lengte 500 mm, VC-MC
- Saugrohr, Stahl, verchromt, Länge 500 mm, W C-MC



A: suction tube, steel chromed, curved, length 500 mm, female conical - male conical

018444000

B: suction tube, steel chromed, straight, length 500 mm, female conical - male conical

018445000

transition coupling for connecting accessories as nozzles & suction tubes to male couplings

015410000

42			Ø 45 mm	Ø 60 mm	Ø 80 mm	Ø 50 mm B1		Ø 60 mm B1		Ø 80 mm B1
----	--	--	---------	---------	---------	------------	--	------------	--	------------

- suction tube, straight, Ø 45 mm, FC-MC
- tube, droit, Ø 45 mm, FC-MC
- zuigbuis, recht, Ø 45 mm, VC-MC
- saugrohr, Gerade, Ø 45 mm, W K-MK



suction tube, straight, aluminium, length 1350 mm, female conical - male conical

018402000

suction tube, straight, PVC, length 1250 mm, female conical - male conical

018404000

transition coupling for connecting accessories as nozzles & suction tubes to male couplings

015400000

43		Ø 35 mm	Ø 45 mm	Ø 60 mm	Ø 80 mm	Ø 50 mm B1		Ø 60 mm B1		Ø 80 mm B1
----	--	---------	---------	---------	---------	------------	--	------------	--	------------

- suction tube, steel, length 1250 mm, F-MC
- tube coude acier, longueur 1250 mm, F-MC
- zuigbuis, staal, lengte 1250 mm, V-MC
- Saugrohr, Stahl, Länge 1250 mm, W-MC



suction tube, steel, curved, grey painted, length 1250 mm, female - male conical

018402000

44		Ø 35 mm	Ø 45 mm	Ø 60 mm	Ø 80 mm	Ø 50 mm B1		Ø 60 mm B1		Ø 80 mm B1
----	--	---------	---------	---------	---------	------------	--	------------	--	------------

- suction tube, curved, MC35, with cuff
- tube coude acier chrome, MC35, avec manchon PVC
- slangpijp gebogen, MC35, met slangmof
- Schlauchrohr, gebogen, MK35 mit Kunststoff Schlauchmuffe



suction tube, curved, male conical 35 mm, with fixed cuff for hose Ø 35 mm

018102000

suction tube, curved, male conical 35 mm, with revolving cuff for hose Ø 38 mm

018103000

45		Ø 35 mm	Ø 45 mm	Ø 60 mm	Ø 80 mm	Ø 50 mm B1		Ø 60 mm B1		Ø 80 mm B1
----	--	---------	---------	---------	---------	------------	--	------------	--	------------

- suction pipe, Ø 35 mm, straight, 2-pieces, FC-MC
- tube d'aspiration, Ø 35 mm, droit, par 2, FC-MC
- zuigbuis, Ø 35 mm, recht, 2-delig, VC-MC
- Saugrohr, Ø 35 mm, gerade, 2-Teilig, W K-MK



suction pipe, Ø 35 mm, steel, chrome, straight, 2-pieces, female conical - male conical

018100000

46			Ø 45 mm	Ø 60 mm	Ø 80 mm	Ø 50 mm B1		Ø 60 mm B1		Ø 80 mm B1
----	--	--	---------	---------	---------	------------	--	------------	--	------------

- bulk nozzle, steel, with supplementary airflow, F60
- pelle aspirante avec air suppletif F60
- bulkzuigmond, staal, met suppletielucht, V 60
- Schüttgutdüse, Stahl, mit Zuluftöffnung W 60



bulk nozzle, steel, with adjustable supplementary airflow, female 60, 150 x 35 mm

017738000

47			Ø 45 mm	Ø 60 mm	Ø 80 mm	Ø 50 mm B1		Ø 60 mm B1		Ø 80 mm B1
----	--	--	---------	---------	---------	------------	--	------------	--	------------

- branch tube
- derivation
- spruitstuk
- Zweigrohr



branch tube, female 45 > 2 x female conical 35


015423000

branch tube, female 60 > 2 x male 45

015722000

48	Ø 45 mm	Ø 60 mm	Ø 80 mm	Ø 50 mm B1	Ø 60 mm B1	Ø 80 mm B1
----	---------	---------	---------	------------	------------	------------

- coupling with cover, female
- prise à couvercle, femme
- sluitkoppeling, vrouw
- Schlauchanschluß mit Klappdeckel, Weiblich



- A: coupling with cover, welding type, female, steel
- A: coupling with cover, welding type, female, stainless steel 304
- B: coupling with cover, clamping type, female, steel
- B: coupling with cover, clamping type, female, stainless steel 304
- spare: rubber sealing for cover
- spare: stainless steel disc for cover

015404000	015704000	015904000	015408000	015708000
015404200	015704200			
015405000	015705000	015905000	015409000	015709000
015405200	015705200			
080102000	080103000	080101000	080102000	080103000
015415000	015715000	015915000	015415000	015715000

49	Ø 45 mm	Ø 60 mm	Ø 80 mm	Ø 50 mm B1	Ø 60 mm B1	Ø 80 mm B1
----	---------	---------	---------	------------	------------	------------

- coupling with cover, female
- prise à couvercle, femme
- sluitkoppeling, vrouw
- Schlauchanschluß mit Klappdeckel, Weiblich



- coupling with cover, female 45, for connection to piping
- pipe connection piece 59.8 mm Ø external / 45 mm Ø internal
- material: stainless steel 304

015416000

50	Ø 45 mm	Ø 60 mm	Ø 80 mm	Ø 50 mm B1	Ø 60 mm B1	Ø 80 mm B1
----	---------	---------	---------	------------	------------	------------

- fixed floornozzle, complete, width 750 mm
- capteur frontal fixe, complèt, largeur 750 mm
- vaste vloerzuigmond, compleet, breed 750 mm
- Feste Bodensaugdüse, komplett, Breite 750 mm



- A: fixed floornozzle, width 750 mm, complete, 2 wheels, for B192
- A: fixed floornozzle, width 750 mm, complete, 2 wheels, for C193
- A: fixed floornozzle, width 750 mm, complete, 2 wheels, for C192 / C335
- A: fixed floornozzle, width 750 mm complete, 2 wheels, for KE
- B: fixed floornozzle, width 750 mm complete, 4 wheels, (in front and behind the nozzle) for KE
- spare: set of rubber inserts (2 x partnumber = complete set)
- spare: set of brush inserts (2 x partnumber = complete set)

017577000				
	017576000			
	017575000			
	017570000			
	017578000			
2 x 017001000	2 x 017001000			
2 x 017002000	2 x 017002000			

	Ø 45 mm	Ø 60 mm	Ø 80 mm	Ø 50 mm B1	Ø 60 mm B1	Ø 80 mm B1
--	---------	---------	---------	------------	------------	------------